

**You're installing this app to receive alerts on available updates from Sony for your new radio.**

**The boat ride from Japan, takes a bit of time, so even the newest of units require an update from time to time.**

**It's always good practice to keep your radio the most up to date that it can be.**

# **STOP!!**

**Do not open this box before installing this app on your phone.**



**You will not download any updates through this app. This is simply a notification system.**

**For the update and instructions, you'll visit [www.sony.com](http://www.sony.com)**





Type  
"XAV-AX5000"  
or  
"XAV-AX7000"  
(Whichever radio you  
purchased)

Now you'll receive notifications  
Anytime there is an  
Update available for your  
XAV-AX5000  
or  
XAV-AX7000



Tap "Agree"  
"Continue"  
And  
"Allow"



Tap "Add"



Tap "Add"





Tap "Add"

Type  
"XAV-AX5000"  
or  
"XAV-AX7000"  
(Whichever radio you  
purchased)



Tap "Add"

Now you'll receive notifications  
Anytime there is an  
Update available for your  
XAV-AX5000  
or  
XAV-AX7000



**Sony XAV-AX5000 or XAV-AX7000**



**To be able to consistently  
Enjoy Apple Car Play™  
Or Android Auto™**

**It is best to keep cable  
lengths as short as possible.**

**We recommend you hook  
your phone cable directly to  
“USB 1”. It’s also best if  
the phone cable you use, remains  
3 feet or less.**

**Feel free to use the extension  
for “USB 2” if you need the length.**

**STOP**

**If you will be using**



android auto Apple CarPlay

**Do not use the supplied  
USB extension cable  
In “USB 1”**



# Pairing Handlebar controls to your Sony AXV-AX5000 or AXV-AX7000

**For 1999 to 2013 bikes only**

Leave the handlebar module unplugged until Step 4.



**Step 1**  
Bolt it up

**Step 2**  
Plug it into bike

**Step 3**  
Turn your key on and wait for the radio to turn on.

**Step 4**  
Plug this into the harness.  
When the lights flash rapidly red and green, press and hold the volume up button on your handlebars.



1. With the key off, mount your radio to the bike.
2. Plug your Fat Head harness into your bikes' factory harness. (Be sure to fully latch the factory locking mechanism)
3. Turn your ignition on, and wait (up to) 2 minutes for your Sony radio to turn on.
4. After your Sony radio turns on, plug in the module in Step 4 in the picture to the right. Now push & hold the "volume up" button on your handlebar controls until the lights on the module start flashing green then let go of the "volume up" button.

Watch the lights...there will be 7 green flashes, then 4 red flashes, then the light will go solid red for 3 seconds and then go out.

5. Move on to next page



# Programming Handlebar controls to your Sony XAV-AX5000 or XAV-AX7000

Press the  
"Home" button




Scroll left to  
reach "Settings"



Press  
"General"



Scroll down to  
"Steering Control"





Set to "Custom"  
and press the  
"Wrench" icon



Follow on screen  
instructions until last button is programmed,  
then press "Home" and test your handlebar  
controls.

(Hold each button until the on screen instruction changes)



This is a timed process. You'll press and hold the button on screen, then press and hold the button of your handlebars (you get about three seconds per button)

1. Pressing Up will get us "Volume up"
2. Pressing down will get us "Volume down"
3. Pressing in will get you "Mute"



1. Pressing Up will get us Seek forward
2. Pressing down will get us Seek back
3. Pressing in will get us Source



After your final button is programmed, press "Home" on your Sony radio and test your handlebar controls.

**You're done.**



**Reassemble and ride!**

Thank you for your Fat Head Cycles bundle purchase.  
Inside this envelope you will find what you need to have a successful installation.

